

Certificate of Conformity of the Factory Production Control

1029 – CPR – AE22/0000003

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Hot rolled products of structural steels, described in annex.

placed on the market under the name or trade mark of

AL JAZEERA STEEL PRODUCTS CO. SAOG

Road No. 3, P.O. Box 40, Sohar Industrial Area, Sohar, Postal Code 327, Sultanate of Oman

and produced in the manufacturing plant

AL JAZEERA STEEL PRODUCTS CO. SAOG

Road No. 3, P.O. Box 40, Sohar Industrial Area, Sohar, Postal Code 327, Sultanate of Oman

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

EN 10025-1:2004

under system 2+ are applied and that the factory production control is assessed to be in conformity with the applicable requirements

This certificate is valid from 12 May 2025 until 11 May 2028, and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

Issue 4. Certified with SGS since 12 May 2022



Authorised by	Authorised by
Luis Neves	Luis Santos
Certification Management	Certification Management

SGS ICS – Serviços Internacionais de Certificação, Lda, Notified Body 1029

Polo Tecnológico de Lisboa, Rua Cesina Adães Bermudes, Lote 11, N° 1, 1600-604 Lisboa – Portugal
t +351 217104200 Email: pt.info@sgs.com - www.sgs.pt



This document is an authentic electronic certificate for Client' business purposes use only. Printed version of the electronic certificate are permitted and will be considered as a copy. This document is issued by the Company subject to SGS General Conditions of certification services available on [Terms and Conditions](#) | [SGS](#). Attention is drawn to the limitation of liability, indemnification and jurisdictional clauses contained therein. This document is copyright protected and any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful.



Certificate of Conformity of the Factory Production Control
1029 – CPR – AE22/0000003



Annex 1

Product(s): Hot rolled products of structural steels.

Product Description	Hot Rolled Structural Steel Products using Steel Billets as Raw Material
Shapes and Dimensions	<u>Equal Leg Angles</u> (Leg Length x Leg Length) 40 mm x 40 mm to 110 mm x 110 mm
	<u>Channels</u> (Section Height x Flange Width x Web Thickness x Flange Thickness) 125 mm x 65 mm x 5.5 mm x 9.5 mm 120 mm x 55 mm x 7 mm x 9 mm 100 mm x 50 mm x 6 mm x 8.5 mm 100 mm x 50 mm x 5 mm x 8.5 mm 100 mm x 50 mm x 5 mm x 7.5 mm 100 mm x 50 mm x 4.7 mm x 6 mm 100 mm x 50 mm x 3.86 mm x 6 mm 80 mm x 45 mm x 6 mm x 8 mm 75 mm x 40 mm x 5 mm x 7 mm 75 mm x 40 mm x 3.86 mm x 5.2 mm
	<u>Flat bars</u> (Width) 38 mm to 150 mm
	<u>Round bars</u> (Diameter) 16 mm to 50 mm
	<u>Square bars</u> (Square size) 12 mm to 50 mm



This document is an authentic electronic certificate for Client' business purposes use only. Printed version of the electronic certificate are permitted and will be considered as a copy. This document is issued by the Company subject to SGS General Conditions of certification services available on [Terms and Conditions](#) | [SGS](#). Attention is drawn to the limitation of liability, indemnification and jurisdictional clauses contained therein. This document is copyright protected and any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful.



Annex 1

Product(s): Hot rolled products of structural steels.

Shapes and Dimensions (continuation)	<u>I-Beams, H-Beams and Universal Beams (UB)</u>				
	Shape and Section	Section height h (mm)	Flange width b (mm)	Web thickness s (mm)	Flange thickness t (mm)
	IPE AA 80	78	46	3.2	4.2
	IPE A 80	78	46	3.3	4.2
	IPE 80	80	46	3.8	5.2
	IPE AA 100	97.6	55	3.6	4.5
	IPE A 100	98	55	3.6	4.7
	IPE 100	100	55	4.1	5.7
	IPE AA 120	117	64	3.8	4.8
	IPE A120	117.6	64	3.8	5.1
	IPE 120	120	64	4.4	6.3
	IPE AA 140	136.6	73	3.8	5.2
	IPE A140	137.4	73	3.8	5.6
	IPE 140	140	73	4.7	6.9
	HE A 100	96	100	5	8.0
	UB 127 x 76 x 13	127	76	4	7.6
Steel Grades	S235JR, S235J0, S235J2, S275JR, S275J0, S275J2, S355JR, S355J0, S355J2 (according to standard EN 10025-2)				

